

R&D for Tuberculosis

References

Introduction

It is today the world's leading infectious disease killer: 10 million people fell ill from TB and 1.5 million died: World Health Organization. *Global Tuberculosis Report 2019*. Geneva: World Health Organization; 2019. https://www.who.int/tb/publications/global_report/en/.

Only one low-efficacy vaccine exists, treatment takes months to years, and improved diagnostics designed specifically for low-resource settings are needed:

World Health Organization. *Global investments in tuberculosis research and development: past, present, and future. A policy paper prepared for the first WHO global ministerial conference on ending tuberculosis in the sustainable development era: a multisectoral response*. Geneva: World Health Organization; 2017. <https://apps.who.int/iris/bitstream/handle/10665/259412/9789241513326-eng.pdf;jsessionid=BC5E45D3DD06E1CD7934C3B2172C6557?sequence=1>.

Suleiman K, Lessem E. *An Activist's Guide to Tuberculosis Diagnostic Tools*. New York: Treatment Action Group; 2017. <http://www.treatmentactiongroup.org/sites/default/files/TB%20Diagnostics%20Guide.pdf>.

\$393 thousand treatment cost and productivity loss of MDR-TB patient in US: Centers for Disease Control and Prevention. *The Costly Burden of Drug-Resistant TB in the U.S.* Atlanta: Centers for Disease Control and Prevention; 2018. <https://www.cdc.gov/nchstp/newsroom/docs/factsheets/costly-burden-dr-tb-508.pdf>.

45% treatment failure rate for MDR-TB: World Health Organization. *Global Tuberculosis Report 2019*. Geneva: World Health Organization; 2019. https://www.who.int/tb/publications/global_report/en/.

Research successes

First child-friendly TB medicines: TB Alliance website. Child-friendly medicines page. <https://www.tballiance.org/child-friendly-medicines>. Accessed August 27, 2019.

Bedaquiline, a drug to combat multi-drug resistant TB:

Mirsaeidi M. After 40 years, new medicine for combating TB. *International Journal of Mycobacteriology*. 2013;2(1):1–2. <http://www.ijmyco.org/article.asp?issn=2212-5531;year=2013;volume=2;issue=1;spage=1;epage=2;aulast=Mirsaeidi>.

NIH statement on World Tuberculosis Day [press release]. Bethesda, Maryland: National Institutes of Health; March 24, 2017. <https://www.niaid.nih.gov/news-events/nih-statement-world-tuberculosis-day-0>.

Pretomanid, a new drug for highly-drug resistant TB: FDA approves new treatment for highly drug-resistant forms of tuberculosis [press release]. TB Alliance; August 14, 2019. <https://www.tballiance.org/news/fda-approves-new-treatment-highly-drug-resistant-forms-tuberculosis>.

Xpert MTB/RIF, a fully automated diagnostic test: Lawn SD, Nicol MP. Xpert® MTB/RIF assay: development, evaluation and implementation of a new rapid molecular diagnostic for tuberculosis and rifampicin resistance. *Future Microbiology*. 2011 Sep;6(9): 1067–1082. https://www.futuremedicine.com/doi/10.2217/fmb.11.84?url_ver=Z39.88-2003&rfr_id=ori:rid:crossref.org&rfr_dat=cr_pub%3dwww.ncbi.nlm.nih.gov.

3HP, a shorter preventative regimen: Centers for Disease Control and Prevention website. 3HP FAQs for providers page. <https://www.cdc.gov/tb/education/FAQforProviders.htm>. Accessed October 15, 2019.

Continued progress is possible, not inevitable

Bill & Melinda Gates Foundation and Institute for Health Metrics and Evaluation. *The Goalkeepers Report 2019: How Geography and Gender Stack the Deck For (or Against) You*. Seattle: Bill & Melinda Gates Foundation; 2019. <https://www.gatesfoundation.org/goalkeepers/report/2019-report/#ExaminingInequality>.

Key missing tools

Existing TB treatments take 6 to 20 months or longer, and certain drugs can cause severe side effects like liver damage and deafness: World Health Organization. *WHO consolidated guidelines on drug-resistant tuberculosis treatment*. Geneva: World Health Organization; 2019. <https://apps.who.int/iris/bitstream/handle/10665/311389/9789241550529-eng.pdf?ua=1>.

New vaccines: Schragger L, Harris R, Vekemans J. Research and development of new tuberculosis vaccines: a review. *F1000 Research*. 2019 Feb;7(1732). <https://doi.org/10.12688/f1000research.16521.2>.

Breakthroughs on the brink

A new all-oral treatment regimen, BPamZ: TB Alliance. *SimpliciTB and the BPamZ Regimen*. TB Alliance; 2019. https://www.dropbox.com/s/c1u2vj8zpz1pmha/tba_SimpliciTB_Factsheet.pdf?dl=0.

13 new compounds are undergoing clinical trials: World Health Organization. *Global tuberculosis report 2019*. Geneva: World Health Organization; 2019. https://www.who.int/tb/publications/global_report/en/.

More than ten potential preventative and immunotherapeutic TB vaccines are in development:

Tuberculosis Vaccine Initiative. Pipeline of Vaccines. Netherlands; 2015. <https://www.tbvi.eu/what-we-do/pipeline-of-vaccines/>. Accessed August 29, 2019.

Schragger L, Harris R, Vekemans J. Research and development of new tuberculosis vaccines: a review. *F1000 Research*. 2019 Feb;7(1732). <https://doi.org/10.12688/f1000research.16521.2>.

M72/AS01E vaccine candidate: GSK candidate vaccine helps prevent active pulmonary tuberculosis in HIV negative adults in phase II study [press release]. London: Aeras; September 25, 2018. <https://www.aeras.org/pressreleases/gsk-candidate-vaccine-helps-prevent-active-pulmonary-tuberculosis-in-hiv-ne#.XaYRkkZKiUk>.

New approaches and strategies for TB vaccine research: Schragar L, Harris R, Vekemans J. Research and development of new tuberculosis vaccines: a review. *F1000 Research*. 2019 Feb;7(1732). <https://doi.org/10.12688/f1000research.16521.2>.

New innovative methods to administer treatment:

Verma M, Vishwanath K, Eweje F, et al. A gastric resident drug delivery system for prolonged gram-level dosing of tuberculosis treatment. *Science Translational Medicine*. 2019;11(483):eaau6267. <https://doi.org/10.1126/scitranslmed.aau6267>

Omwoyo WN, Ogutu B, Oloo F, et al. Preparation, characterization, and optimization of primaquine-loaded solid lipid nanoparticles. *International Journal of Nanomedicine*. 2014;9(1):3865–3874. <https://doi.org/10.2147/IJN.S62630>.

A new point-of-care urine test: Mahon C. New rapid test significantly more effective for TB-diagnosis in people with HIV. *Avert*. June 11, 2019. <https://www.avert.org/news/new-rapid-test-significantly-more-effective-tb-diagnosis-people-hiv>.

DNA-based tests and digital tools: World Health Organization. *Global tuberculosis report 2018*. Geneva: World Health Organization; 2018. https://www.who.int/tb/publications/global_report/en/.

US government investment in tuberculosis R&D

Policy Cures Research. G-FINDER Public Search Tool. Sydney, Australia: Policy Cures Research; 2019. <https://gfinder.policycuresresearch.org/PublicSearchTool/>. [Early access to 2018 data was provided by Policy Cures Research in December 2019. Data is now available online as of January 30, 2019.]

US government R&D efforts

Department of Defense Congressionally Directed Medical Research Programs. Search Awards. Fort Detrick, Maryland: Congressionally Directed Medical Research Programs. <https://cdmrp.army.mil/search.aspx>. Accessed August 26, 2019.

Kaiser Family Foundation. *The U.S. Government and Global Tuberculosis Efforts*. Washington, DC: Kaiser Family Foundation; 2019. <https://www.kff.org/global-health-policy/fact-sheet/the-u-s-government-and-global-tuberculosis-efforts/>.

US Food & Drug Administration website. Tropical Disease Priority Review Voucher Program page. <https://www.fda.gov/about-fda/center-drug-evaluation-and-research-cder/tropical-disease-priority-review-voucher-program>. Accessed October 23, 2019.

US Food & Drug Administration website. Limited Population Pathway for Antibacterial and Antifungal Drugs – the LPAD Pathway. <https://www.fda.gov/drugs/development-resources/limited-population-pathway-antibacterial-and-antifungal-drugs-lpad-pathway>. Accessed October 23, 2019.